

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

scanning non-planar prism polar coordinate di

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 367 for **scanning non-planar prism polar coordinate display**. (0.21 seconds)System and method for generating a preview **display** in a print ...

Next, the **polar coordinate** system position of the respective group of ... Live **scanner** 110 includes a **non-planar prism** 120 optically coupled between an ...
www.freepatentsonline.com/20040109589.html - 45k - [Cached](#) - [Similar pages](#)

System and method for capturing print information using a ...

Thus, the **polar coordinate** system is ideal for describing **non-planar ... Display** in an Hand Print Capturing System Using a **Non-Planar Prism**," Serial No. ...
www.freepatentsonline.com/20040114786.html - 56k - [Cached](#) - [Similar pages](#)
[[More results from www.freepatentsonline.com](#)]

Information extraction by mapping - Google Patents

3952187, Circuit for transforming rectangular **coordinates** to **polar ...** 6993165, System having a rotating optical system and a **non-planar prism** that are used ...
urlbrowse.com/?__ttUrl=aHR0cDovL3d3dy5nb29nbGUuY29tL3BhdGVudHM_dm1kPVVTUEFUNDczNjQzNg==
- Supplemental Result - [Similar pages](#)

Array antenna controller

is the directivity pattern expressed in **polar coordinate** form, ... in the measured phase caused by a **non-planar** wave could be calibrated out of the system. ...
www.patentopedia.us/temporal_gamma-interferon_administration/array_antenna_controller.html - 61k - [Cached](#) - [Similar pages](#)

Apparatus and method for volumetric image reconstruction of ...

System and method for rotational **scanner** based volume **display ... coordinate** system, such as, but not limited to, mixed **polar-carthesian coordinate** system, ...
www.patentstorm.us/patents/6969174-description.html - 83k - [Cached](#) - [Similar pages](#)

Patents by Date - PatentStorm - Jun. 18, 2002

A reflected beam from a disk is directed into the Wollaston **prism** and is split ... and both an optical microscope and a **scanning** electron microscope (SEM). ...
www.patentstorm.us/patents-by-date/2002/0618-2.html - 50k - [Cached](#) - [Similar pages](#)

[PDF] Rapid-Scanning Stopped-Flow Spectrophotometry

File Format: PDF/Adobe Acrobat

erally indicative of a high-spin **nonplanar** Fe heme prosthetic group. ... wherein a grating (or, rarely, a **prism**) is used to separate the spectrum into its ...
doi.wiley.com/10.1002/9780470110584.ch5 - [Similar pages](#)

[DOC] List of FiguresFile Format: Microsoft Word - [View as HTML](#)

Consider the **prism** XYZ. The dimensions XO, OZ, and OY are approx. 70 mm. Assume that, in **scanning** the Haidinger fringes from X to O, there is an error of ...
www.osti.gov/bridge/servlets/purl/781698-FUbCdN/native/781698.doc - [Similar pages](#)

[PDF] Untitled

File Format: PDF/Adobe Acrobat

but also a digitizing tablet for **coordinates**, a **scanner** for images, or a microphone for spoken words. The output device might be a CRT **display**, a ...

vizproto.prism.asu.edu/textbooks/DigitalDesignMedia.pdf - [Similar pages](#)

[PDF] [APPEARANCE-PRESERVING SIMPLIFICATION OF POLYGONAL MODELS](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

distortions caused by the simplification of **non-planar**, textured surfaces. ... borhood to **polar coordinates**, (r, θ) , with v at the origin (see Figure 31(a)) ...

www.cs.jhu.edu/~cohen/Publications/cohendiss.lowres.pdf - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

scanning non-planar prism polar coordinate di

Search

[Advanced Search](#)
[Preferences](#)**Web** Results **11 - 20** of about **367** for **scanning non-planar prism polar coordinate display**. (0.10 seconds)**[PDF]** [Near-field optics theories](#)

File Format: PDF/Adobe Acrobat

for **coordinates** located in the near-field zone, the formulae of Mie and Debye **display**. convergence problems which are even more difficult to solve in the ...
www.iop.org/EJ/article/0034-4885/59/5/002/r605r2.pdf - [Similar pages](#)

[PDF] [Paper Is conformational flexibility in a supramolecular reagent ...](#)

File Format: PDF/Adobe Acrobat

non-planar manner whereas those of trimesic acid are co-. planar with the phenyl ring. ... TCPT with bipy or its homologues in **polar** solvents. In each ...
www.rsc.org/ej/CE/2005/b419029g.pdf - [Similar pages](#)

[PDF] [Ultraviolet photodissociation dynamics of formyl fluoride](#)

File Format: PDF/Adobe Acrobat

where a and b are **polar coordinates** for the recoil vector. It is not essential for the body-
 fixed ... molecule becomes tighter in a more **non-planar** geometry. ...
www.rsc.org/delivery/_ArticleLinking/DisplayArticleForFree.cfm?doi=a701779k&JournalCode=FT - [Similar pages](#)

[PDF] [Microsoft PowerPoint - CGmy_commentsNew.ppt](#)

File Format: PDF/Adobe Acrobat

or, in **polar coordinates**. The transformation is a rotation about the center of the ...
 Parametric cubics are the lowest-degree curves that are **nonplanar** in ...
www5.in.tum.de/lehre/praktika/comp_modvis/WS02/comp_graph.pdf - [Similar pages](#)

[Optical: systems and elements patents 200701](#)

20070019277 - Forward and reverse **scanning-type display** device: Disclosed ... screen including a microstructure lamina having a **non-planar** input surface, ...
www.freshpatents.com/Optical--systems-and-elements-dt200701ntc359.php - 145k -
[Cached](#) - [Similar pages](#)

[PDF] [Design and Construction of a Fourier Transform Soft X-ray ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

error angle is θ , the displacement error at the aperture is δ , the **polar coordinates** of the aperture plane are r, ϕ , and the radius of the aperture is ...
www.osti.gov/bridge/servlets/purl/781698-PNfUti/webviewable/781698.pdf - [Similar pages](#)

[PDF] [Carlson AgStar 2004](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

These options affect the entry of angles, object rotation angles, the **display**. format, and the entry of **polar**, cylindrical, and spherical **coordinates**. ...
update.carlsonsw.com/manuals/AgStar_2004.pdf - [Similar pages](#)

[interactive 3d modelling in outdoor augmented reality worlds ...](#)

LCD Liquid Crystal **Display**. LOD Land Operations Division (located at DSTO Salisbury, Adelaide). LLH Latitude Longitude Height spherical **polar coordinates** ...
www.tinmith.net/wayne/thesis/piekarski-thesis.htm - 894k - [Cached](#) - [Similar pages](#)

[PDF] [A; A](#)

File Format: PDF/Adobe Acrobat

The structure was solved using the heavy-atom **coordinates** ... were collected in the 6-26 step **scan** mode with 0.1' steps and a **scan** ...
pubs.acs.org/cgi-bin/abstract.cgi/inocaj/1976/15/i11/f-pdf/f_ic50165a036.pdf?sessid=6006l3
- [Similar pages](#)

[PDF] [Free-formed Surface Mirrors in Computer Vision Systems](#)

File Format: PDF/Adobe Acrobat

ticle are circles or **non-planar** patterns. However, circles will not qualify ... represented in **polar coordinates**, i.e. a distance to the reference point and ...
w210.ub.uni-tuebingen.de/dbt/volltexte/2003/837/pdf/diss.pdf - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

scanning non-planar prism polar coc

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Printed by EAST

UserID: dmariam
Computer: WS07216
Date: 5/7/07
Time: 11:25 PM

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	0	"7218761".pn.	USPAT	2007/05/07 22:45	
2	BRS	L2	0	"7218761".pn.	USPAT	2007/05/07 22:47	
3	BRS	L3	5	(print or handprint\$2 or fingerprint\$3) same scan\$5 same (advance or preview\$3) same (view\$3 or display\$3 or monitor) same (conical or ((nonplanar or non- planar) near1 prism))	US- PGPUB; USPAT	2007/05/07 22:55	
4	BRS	L4	0	"7218761".pn.	US- PGPUB; USPAT	2007/05/07 22:55	
5	BRS	L5	1	(non-planar and prism and scan\$5 and display\$3 and preview\$3).clm.	US- PGPUB; USPAT	2007/05/07 22:56	
6	BRS	L6	8	(nonplanar or non-planar or conical) same polar same scan\$5 same (view\$3 or display\$3)	US- PGPUB; USPAT	2007/05/07 22:57	
7	BRS	L7	6	6 same imag\$3	US- PGPUB; USPAT	2007/05/07 23:00	
8	BRS	L8	1	"7190535".pn.	US- PGPUB; USPAT	2007/05/07 23:06	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
9	BRS	L9	2	(nonplanar or non-planar) same prism same scan\$5 same imag\$3 same polar	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/05/07 23:09	

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
10 BRS	L10	255	("1501979" "2146662" "2184858" "20020049714" "20020141620" "20030012417" "20030099022" "20030142856" "20030197853" "20030206287" "20040109245" "20040109591" "20040114785" "20040114786" "20050105078" "3054854" "3282152" "3333502" "3511571" "3581282" "3648240" "3716301" "3765018" "3804524" "3806706" "3882462" "4032889" "4106078" "4128837" "4180306" "4206441" "4206556" "4215274" "4357597" "4387365" "4414684" "4420261" "4461576" "4467545" "4578793" "4611881" "4637718" "4684802" "4688092" "4701960" "4720869" "4736203" "4736436" "4751660" "4751759" "4774516" "4783167" "4790025" "4792226" "4794260" "4805117" "4821118" "4925300" "5140469" "5146102" "5225924" "5243459" "5249370" "5307264" "5309274" "5313306" "5367399" "5377002" "5440428" "5452135" "5469289" "5526436" "5528355" "5588097" "5610751" "5629764" "5638461" "5650842" "5677763" "5677782" "5699186" "5745591" "5761330" "5777751" "5796426" "5798923" "5825474")	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/05/07 23:09	

				"5892599" "5937102" "60210 07" "6038332" "6041134" "60 46867" "6175407" "6198429" "6198836" "6243488" "634102 8" "6373969" "6394356" "641 1441" "6415064" "6424470" " " 6459451" "6466686" "6496608 " "6616065" "6928195" "6993 165" "7081951").PN.				
--	--	--	--	--	--	--	--	--

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
11	BRS	L12	1	11 and polar	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/05/07 23:10	
12	BRS	L11	11	10 and ((non-planar or (non adj planar)) near3 prism)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/05/07 23:17	
13	BRS	L13	15	((acq\$7 or obtain\$5 or captur\$4 or detect\$3) near3 (image\$1 or fingerprint or handprint\$2)) same ((non- planar or (non adj planar)) near3 prism)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/05/07 23:21	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
14	BRS	L14	19	((acqu\$7 or obtain\$5 or captur\$4 or detect\$3) near3 (image\$1 or fingerprint or handprint\$2)) and ((non- planar or (non adj planar)) near3 prism)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/05/07 23:21	
15	BRS	L15	2	14 and polar	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/05/07 23:21	
16	BRS	L16	5317	preview near3 display\$3	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/05/07 23:21	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
17	BRS	L17	3093	16 same imag\$3	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/05/07 23:22	
18	BRS	L18	401	17 same scan\$5	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/05/07 23:22	
19	BRS	L19	3	18 same (pollar near5 (coordinate\$1 or co- ordinate\$1))	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/05/07 23:24	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
20	BRS	L20	4	18 same radial\$2	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/05/07 23:24	